



Benefit from more than 35 years of experience

JRG Sanipex MT

The innovative, dimensionally stable installation system for sanitary, heating and compressed air installations





System description

JRG Sanipex MT is the innovative installation system owned by Georg Fischer, which consists of crosslinked PE-X multilayer pipes and fittings.

The fittings d16 up to d63 are produced using a special two-layer plastic injection technique. The adapters and system valves are made of gunmetal. All fittings are screwed onto the multilayer pipe using a union nut.

The used materials are hygienically harmless and fully comply with the legal requirements.

The JRG Sanipex MT system is highly corrosion resistant. The construction of the pipe connection is free of water pockets and offers full flow rates without any reduction of the internal cross-section plus multiple safety.

JRG Sanipex MT unions can be unscrewed and reused, which offers great advantages when extending a installation. The simple and easy-to-use tools help reduce assembly times.

JRG Sanipex MT is the ideal system for distribution lines, risers and connecting lines in private homes as well as in large buildings.

Innovative fitting technology

Combined with JRG Sanipex synergistic effects evolve setting new standards for modern building services.

The fittings, such as 90° and 45° elbows, tees and reductions are produced as fitting-in-fitting.


The white, drinking water conducting inner layer is made of hot-water resistant PPSU and the black mechanically resistant external fitting is made of PA with 30% glass fibre reinforcement.






Benefits

- full piping cross section in the fittings
- excellent flow rates
- mimimum pressure loss
- water-pocket-free design
- hygienically impeccable
- sophisticated assembly
- fast, simple and safe assembly
- connection with multiple seals
- removable and reusable connection
- high operating reliability
- versatile system
- direct connections to JRG valves
- highly corrosion and chalk resistant
- dimensionally stable, rigid mimimum expansion in length
- dimensions d16/DN12, d20/DN15 and d25/DN20 can be combined with the versatile JRG Sanipex system
- environmentally-friendly and recyclable materials






Description	Unit	JRG Sanipex MT PE-X/AI/PE-X						
Pipe dimension	DN	12	15	20	25	32	40	50
Outer diameter	mm	16	20	26	32	40	50	63
Wall thickness	mm	2.25	2.5	3.0	3.0	3.5	4.0	4.5
Inner diameter	mm	11.5	15.0	20.0	26.0	33.0	42.0	54.0
Inner volume	l/m	0.104	0.177	0.314	0.531	0.855	1.350	2.230
Oper. temp., continuous operation	°C	70 °C (50 years)						
Max. operating temperature	°C	95 °C (short-term)						•
Max. operating pressure	kPa/bar	1000/10		Cold water up to 1600 kPa/16 bar				
Compressed air (dry and oil-free)	kPa/bar/°C	1500/15 up to 40°C		1000/10 41°C up to 70°C				



Safety with the FEM structure simulation (finite element method)

In order to be able to predict and determine the mechanical behaviour of JRG Sanipex MT system components under maximum load, we designed and dimensioned all components using the finite element method and consistently translated its findings into the final construction.

In an FEM structure simulation, the entire component is recorded applying a finite element model and



Quality assurance and product approval

The JRG Sanipex MT system is subject to permanent monitoring by various internal and external testing bodies ranging from quality assurance during production to several ISO certifications concerning environmental and process safety. In addition, JRG Sanipex MT meets the requirements for key applications in building technology and is constantly monitored by a variety of approval authorities (such as SVGW, DVGW, ÖVGW, SINTEF, SITAC, GL, DNV, IIP etc.) for drinking water installations as well as heating and compressed air systems both on land and at sea.









Simple tools for fast assembly

A hydraulic unit, manual and battery powered expansion tools have been developed to substantially reduce assembly times when working with JRG Sanipex MT. Thus pipe dimensions ranging from d16/DN12 to d63/DN50 can be cut and expanded.

Manual expansion pliers with appropriate mandrels and clamping jaws can be applied to MT multilayer pipes d16/20/26/32 (DN12/15/20/25) and flexible PE-X pipes d16, d20 and d25 (DN12/15/20). The pipes need not be calibrated or deburred.

Pipes ranging from d16/DN12 to d63/DN50 can be cut to length and expanded hydraulically. Furthermore, hydraulic bending tools are available for pipes for above dimensions. For pipe dimensions ranging from d16/DN12 to d26/DN20 manual bending tools are available too.










Installation possibilities taking the example of bathrooms

Well-functioning and safe sanitary installations are most prerequisite for satisfaction, comfort and pleasure in the bathroom, even more important than beautiful tiles and modern appliances.

Here, plastic drinking-water pipelines are of prime importance. Water pipelines must be durable, reliable and highly corrosion-resistant if they are expected to work properly.

JRG Sanipex MT is suitable for all types of installation (single tapping points, t-piece or looped installation) in newly built or refurbished houses as well as for industrial supply lines and compressed air systems.



GF Piping Systems

Worldwide at home

Our sales companies and representatives ensure local customer support in over 100 countries.

www.gfps.com

Argentina / Southern South America Georg Fischer Central Plastics Sudamérica S.R.L. Buenos Aires, Argentina Phone +5411 4512 02 90 Fax +5411 4512 02 93 gfcentral.ps.ar@georgfischer.com www.gfps.com/ar

Australia

Australia
George Fischer Pty Ltd
Riverwood NSW 2210
Phone +61 (0)2 9502 8000
Fax +61 (0)2 9502 8090 australia.ps@georgfischer.com www.gfps.com/au

Georg Fischer Rohrleitungssysteme GmbH 3130 Herzogenburg Phone +43 (0) 2782 856 43 0 Fax +43 (0) 2782 856 64 austria.ps@georgfischer.com www.gfps.com/at

Belgium / Luxembourg Georg Fischer NV/SA 1070 Bruxelles/Brüssel, Belgium Phone +32 (0)2 556 40 20 Fax +32 (0)2 524 34 26 be.ps@georgfischer.com www.gfps.com/be

Brazil

Georg Fischer Sist. de Tub. Ltda. 04571-020 São Paulo/SP Phone +55 (0)11 5525 1311 br.ps@georgfischer.com www.gfps.com/br

Canada

Canada
Georg Fischer Piping Systems Ltd
Mississauga, ON L5T ZB2
Phone +1 (905) 670 8005
Fax +1 (905) 670 8513 ca.ps@georgfischer.com www.gfps.com/ca

Georg Fischer Piping Systems Ltd 201319 Shanghai Phone +86 21 3899 3899 Fax +86 21 3899 3888 china.ps@georgfischer.com www.gfps.com/cn

Denmark/Iceland Georg Fischer A/S

2630 Taastrup, Denmark Phone +45 (0) 7022 1975 Fax +45 (0) 7022 1976 info.dk.ps@georgfischer.com www.gfps.com/dk

Finland

Georg Fischer AB 01510 Vantaa Phone +358 (0)9 586 58 25 Fax +358 (0)9 586 58 29 info.fi.ps@georgfischer.com www.qfps.com/fi

France Georg Fischer SAS 95932 Roissy Charles de Gaulle Cedex Phone +33 (0)1 41 84 68 84 Fax. +33 (0)1 41 84 68 85 fr.ps@georafischer.com www.gfps.com/fr

Germany

Germany
Georg Fischer GmbH
73095 Albershausen
Phone +49 (0)7161 302 0
Fax +49 (0)7161 302 25 9
info.de.ps@georgfischer.com www.afps.com/de

Georg Fischer Piping Systems Pvt. Ltd. 400 076 Powai, Mumbai Phone +91 22 4007 2001 Fax +91 22 4007 2020 branchoffice@georgfischer.com www.gfps.com/in

Indonesia

George Fischer Representative Office 10310 Jakarta Phone +62 21 391 48 62 Fax +62 21 391 48 63 sgp.ps@georgfischer.com www.gfps.com/sg

Italy

Redy Georg Fischer S.p.A. 20063 Cernusco S/N (MI) Phone +39 02 921 86 1 Fax +39 02 921 86 24 7 it.ps@georgfischer.com www.gfps.com/it

Japan Georg Fischer Ltd 556-0011 Osaka Phone +81 (0)6 6635 2691 Fax +81 (0)6 6635 2696 jp.ps@georgfischer.com www.gfps.com/jp

Georg Fischer Piping Systems 463-824 Seoul Phone +82 31 8017 1450 3 Fax +82 31 8017 1454 kor.ps@georgfischer.com www.qfps.com/kr

Malaysia George Fischer (M) Sdn. Bhd. Sales Office 40460 Shah Alam, Selangor Darul Ehsan Phone +60 (0)3 5122 5585 Fax +60 (0)3 5122 5575 my.ps@georgfischer.com www.gfps.com/my

Mexico / Northern Latin America

Mexico / Northern Latin Amel Georg Fischer S.A. de C.V. Apodaca, Nuevo Leon, Mexico Phone +52 (81) 1340 8586 Fax +52 (81) 1522 8906 mx.ps@georgfischer.com www.afps.com/mx

Middle East

Georg Fischer Piping Systems (Switzerland) Ltd Dubai, United Arab Emirates
Phone +971 4 289 49 60
Fax +971 4 289 49 57 gss.ps@georgfischer.com www.gfps.com/int

Netherlands

Georg Fischer N.V. 8161 PA Epe Phone +31 (0) 578 678 222 Fax +31 (0) 578 621 768 nl.ps@georgfischer.com www.gfps.com/nl

New Zealand

Georg Fischer Ltd 5140 Upper Hutt Phone +64 (0) 4 527 9813 +64 (0) 4 527 9834 nz.ps@georgfischer.com www.afps.com/nz

Norway Georg Fischer AS 1351 Rud Phone +47 67 18 29 00 Fax +47 67 13 92 92 no.ps@georgfischer.com www.gfps.com/no

Philippines

George Fischer Representative Office 1604 Pasig City Phone +632 571 2365 Fax +632 571 2368 sgp.ps@georgfischer.com www.gfps.com/sg

Georg Fischer Sp. z o.o. 05 090 Sekocin Nowy Phone +48 (0)22 3131 050 Fax +48 (0)22 3131 060 poland.ps@georgfischer.com www.gfps.com/pl

Georg Fischer Rohrleitungssysteme (Elvetia) S.A. SUCURSALA BUCURESTI 020257 Bucuresti Phone +40 311 040 492 Fax +40 212 317 479 ro.ps@georgfischer.com www.gfps.com/int

Russia

Georg Fischer Piping Systems (Switzerland) Ltd Moscow Representative Office 125047 Moscow Phone +7 495 258 60 80 Fax +7 495 258 60 81 ru.ps@georgfischer.com www.gfps.com/ru

Singapore George Fischer Pte Ltd 528 872 Singapore Phone +65 6747 0611 Fax +65 6747 05 77 sgp.ps@georgfischer.com ww.qfps.com/sq

Georg Fischer S.A 28046 Madrid Phone +34 (0) 91 781 98 90 Fax +34 (0) 91 426 08 23 es.ps@georgfischer.com www.gfps.com/es

Sweden

 Sweden

 Georg Fischer AB

 11743 Stockholm

 Phone +46 (0) 8 506 77 50 0

 Fax +46 (0) 8 749 23 70

 info.se.ps@georgfischer.com
 www.afps.com/se

Geora Fischer Rohrleitungssysteme (Switzerland) AG 8201 Schaffhausen Phone +41 (0)52 631 30 26 +41 (0)52 631 28 00 ch.ps@georgfischer.com www.qfps.com/ch

TaiwanGeorg Fischer Co. Ltd.
24158 New Taipei City
Phone +886 2 8512 2822
Fax +886 2 8512 2823 tw@aeorafischer.com www.gfps.com/tw

Turkey Georg Fischer Hakan Plastik Boru ve Profil San. Tic. A.S. 59500 Cerkezkoy / Tekirdag Phone +90 282 726 64 43 Fax +90 282 726 94 67 hpsales@hakan.com.tr ww.hakan.com.tr

United Kingdom / Ireland

George Fischer Sales Ltd CV2 2ST Coventry, United Kingdom Phone +44 (0) 2476 535 535 Fax +44 (0) 2476 530 450 uk.ps@georgfischer.com www.gfps.com/uk

USA / Caribbear

Georg Fischer LLC 92618 Irvine Phone +1 714 731 88 00 Fax +1 714 731 62 01 Toll Free 800/854 40 90 us.ps@georgfischer.com www.afpipina.com

International

Georg Fischer Piping Systems (Switzerland) Ltd 8201 Schaffhausen/Switzerland Phone +41 (0) 52 631 30 03 +41 (0) 52 631 28 93 info.export@georgfischer.com www.qfps.com/int

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.



37 100 62 1 (9.15) SMS © Georg Fischer JRG AG Hauptstrasse 130 CH-4450 Sissach/Switzerland Telefon +41 (0) 61 975 22 22 info.jrg.ps@georgfischer.com Printed in Switzerland